Biochimie, **69** (1987) 1269 – 1274
© Société de Chimie biologique/Elsevier, Paris

Author Index – 1987

Adolphe M — *See* Solavagione E *et al*, 239
Alayer J d' — *See* Monneron A *et al*, 263
Alonso S, Coexpression and evolution of the two sarcomeric actin genes in vertebrates, 1119
Amons R — *See* Möller W *et al*, 983
Amselem J — *See* Robaglia Ch *et al*, 231
Andersson S & Kurland C G, Elongating ribosomes *in vivo* are refractory to erythromycin, 901
Anouassi A, Combarnous Y, Lecompte F, Cahoreau Cl & Guillou F, Purification and characterization of luteinizing hormone from the dromedary *(Camelus dromedarius)*, 647
Arad T, Piefke J, Weinstein S, Gewitz H-S, Yonath A & Wittmann H G, Three-dimensional image reconstruction from ordered arrays of 70S ribosomes, 1001
Ardawi M S M — *See* Khoja S M, 71
Atmadja J — *See* Hausner Th-P *et al*, 911
Autran J-Cl, Laignelet B, Morel M-H, Berrier R & Dusfour J, Characterization and quantification of low molecular weight glutenins in durum wheats, 699
Axelos M, Teyssendier de la Serve B & Péaud-Lenoël Cl, Level of messenger RNA encoding small subunit ribulose bisphosphate carboxylase is enhanced by cytokinins in tobacco cell suspension cultures, 671

Bachellerie J-P — *See* Michot B, 11 — *See* Baudin F *et al*, 1081
Bahrman N — *See* Thiellement H *et al*, 781
Balaña-Fouce R — *See* Prieto M I *et al*, 1161
Baldacini O — *See* Pfohl-Leszkowicz A *et al*, 1235
Balestre M-N — *See* Guillon G *et al*, 351
Ballesta J P G — *See* Lázaro E *et al*, 849
Barbu V — *See* Rampini Cl *et al*, 1257
Barritault D — *See* Marez A *et al*, 125 — *See* Courty J *et al*, 511
Basurko M-J — *See* Marche M *et al*, 461
Baudet J — *See* Moutot F *et al*, 563
Baudin F, Ehresmann Ch, Romby P, Mougel M, Bachellerie J-P, Ebel J-P & Ehresmann B, Higher-order structure of domain III in *Escherichia coli* 16S ribosomal RNA, 30S subunit and 70S ribosome, 1081
Befort N — *See* Moris G *et al*, 1217
Bellini C — *See* Guerche Ph *et al*, 621
Bernier I & Jollès P, A survey on cytosolic non-enzymic proteins involved in the metabolism of lipophilic compounds : from organic anion binders to new protein families, 1127
Berrada R — *See* Guillon G *et al*, 351
Berrier R — *See* Autran J-Cl *et al*, 699
Berthon B — *See* Combettes L *et al*, 281
Bertrand P — *See* Enjalbert A *et al*, 271
Bigay J — *See* Deterre Ph *et al*, 365
Blanco C & Nemoz G, One step purification of *Escherichia coli* β-glucuronidase, 157
Blanquet S — *See* Springer M *et al*, 1065
Böck A — *See* Hummel H, 857
Bockaert J — *** *See* Enjalbert A *et al*, 271 — ***, Homburger V & Rouot B, GTP binding proteins : a key role in cellular communication, 329 — *** *See* Rouot B *et al*, 339
Bodlaender J — *See* Van Gemen B *et al*, 841
Bogdanowicz S — *See* Kaletha K *et al*, 117
Bon S — *See* Musset F *et al*, 147
Bosch L — *See* Vijgenboom E *et al*, 1021
Bossu J-L — *See* Feltz A *et al*, 395
Boulla G — *See* Musset F *et al*, 147
Bounias M, Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Bourbouze R — *See* Solavagione E *et al*, 239
Bourdeau N — *See* Enouf J *et al*, 297
Bozal J — *See* Sagristá M L, 205 — *See* Sagristá M L, 1207
Brabet Ph — *See* Rouot B *et al*, 339
Bredoux R — *See* Enouf J *et al*, 297
Brillouet J-M, A study of pectic polysaccharides in musts from various mature grapes grown in the Pech Rouge experimental vineyards, 713

Cabanne F — *See* Rivière J-L *et al*, 743
Caboche M — *See* Guerche Ph *et al*, 621
Cacan R — *See* Verbert A *et al*, 91
Caen J — *See* Rendu F *et al*, 305
Cahoreau Cl — *See* Anouassi A *et al*, 647
Calogero R — *See* Canonaco M A *et al*, 957
Camerato T — *See* Rottmann W H *et al*, 137
Campion E — *See* Prulière G *et al*, 583
Canonaco M A, Pon C L, Pawlik R T, Calogero R & Gualerzi C O, Relationship between size of mRNA ribosomal binding site and initiation factor function, 957
Carbonneau M-A — *See* Montaudon D *et al*, 1243
Carrasco L, Baciphelacin : a new eukaryotic translation inhibitor, 797
Caskey Th — *See* Craigen W J, 1031
Cassaigne A — *See* Marche M *et al*, 461
Casse-Delbart F — *See* Robaglia Ch *et al*, 231
Cathiard A-M — *See* Durand Ph *et al*, 629
Cecchelli R — *See* Verbert A *et al*, 91
Chabert Ch — *See* Esnault-Dupuy Ch *et al*, 45
Chabre M — *See* Deterre Ph *et al*, 365
Chambaz E M — *See* Feige J-J, 379
Chanussot F — *See* Esnault-Dupuy Ch *et al*, 45 — *See* Hauton J C *et al*, 543
Chaput M & Sels A, Sensitivity of yeast cells to reactive oxygen species generated in the extracellular space, 53
Charlemagne D — *See* Mayoux E *et al*, 419
Cherel I — *See* Meyer Ch *et al*, 735
Chevallier B — *See* Marez A *et al*, 125 — *See* Courty J *et al*, 511
Chevillotte-Brivet P, Salou G, Forget N & Meunier-Lemesle D, Effects of a missense exonic mutation in cytochrome *b* gene, observed on isolated mitochondrial complex III of

Saccharomyces cerevisiae : consequence for the antimycin binding site, 25
Claisse M — *See* Zagórski W *et al*, 517
Claret M, Phospholipidic second messengers and calcium, 281
Clark B F C — *See* Hansen P K *et al*, 871
Clément G — *See* Marez A *et al*, 125
Cohen P, Proteolytic events in the post-translational processing of polypeptide hormone precursors, 87
Colas B — *See* Sine J-P, 75
Colas des Francs C — *See* Thiellement H *et al*, 781
Colgan J — *See* Nurse K *et al*, 1105
Combarnous Y — *See* Anouassi A *et al*, 647
Combettes L, Berthon B & Claret M, Phospholipidic second messengers and calcium, 281
Courty J, Loret C, Chevallier B, Moenner M & Barritault D, Biochemical comparative studies between eye- and brain-derived growth factors, 511
Coussen F — *See* Monneron A *et al*, 263
Craigen W J & Caskey Th, The function, structure and regulation of *E. coli* peptide chain release factors, 1031
Cundliffe E, On the nature of antibiotic binding sites in ribosomes, 863

Dahlberg A E — *See* Makosky P C, 885
Danchin A — *See* Touati E, 215
Dardel F — *See* Springer M *et al*, 1065
Dauchel M C — *See* Marez A *et al*, 125
Demeneix B — *See* Feltz A *et al*, 395
Denis H — *** & Le Maire M, Biochemical research on oogenesis : protein synthesis in whole cells and in cell-free extracts of *Xenopus laevis* immature ovaries, 475 — *** *See* Le Maire, 485 — *** & Le Maire M, Biochemical research on oogenesis : distribution of tRNA-linked peptides and proteins in previtellogenic oocytes of *Xenopus laevis*, 495
Denman R — *See* Nurse K *et al*, 1105
Deselms K R — *See* Rottmann W H *et al*, 137
Deterre Ph, Pfister Cl, Bigay J & Chabre M, The retinal phototransduction process : enzymatic cascade and regulation, 365
Dirheimer G — *See* Pfohl-Leszkowicz A *et al*, 1235
Djiane J — *See* Dusanter-Fourt I *et al*, 639
Doinel Ch — *See* Lirochon J *et al*, 1191
Domingo N — *See* Hauton J C *et al*, 547
Doutheau A — *See* Quash G *et al*, 101
Douzou P — *See* Prulière G *et al*, 583
Drouva S — *See* Enjalbert A *et al*, 271
Dubois C — *See* Rampini Cl *et al*, 1257
Ducousso R — *See* Kergonou J-F *et al*, 1153
Dupont J-L — *See* Feltz A *et al*, 395
Durand Ph, Cathiard A-M, Naaman E & Saez J M, Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine fetuses : *in vitro* effects of $ACTH_{1-24}$ and forskolin, 629
Duranthon V — *See* Fremont L *et al*, 773
Dusanter-Fourt I, Kelly P A & Djiane J, Immunological recognition of the prolactin receptor : identification of a single binding unit of molecular weight ???42 000, 639
Dusfour J — *See* Autran J-Cl *et al*, 699

Ebel J-P — *See* Baudin F *et al*, 1081 — *See* Guédon G *et al*, 1175 — *See* Moris G *et al*, 1217
Eberhard T H — *See* Fast R *et al*, 131
Echetebu C O, Ifem F M & Echetebu Z O, Hepatic tyrosine aminotransferase from the rainbow lizard *Agama agama :* purification and some properties, 223
Echetebu Z O — *See* Echetebu C O *et al*, 223
Ehresmann B — *See* Baudin F *et al*, 1081
Ehresmann Ch — *See* Baudin F *et al*, 1081
El-Baradi T T A L, de Regt V C H FF, Planta R J, Nierhaus K H & Raué H A, Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939
Elson D & Spitnik-Elson P, A three dimensional model of domain III of the *Escherichia coli* small ribosomal subunit, 991
Enjalbert A, Bertrand P, Bockaert J, Drouva S & Kordon C, Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271
Enouf J, Bredoux R, Bourdeau N, Giraud F, Le Peuch Ch, Lebret M & Levy-Toledano S, Relationship between cAMP and Ca^{2+} fluxes in human platelet membranes, 297
Erdmann V A — *See* Hartmann R K *et al*, 1097
Esnault-Dupuy Ch, Chanussot F, Lafont H, Chabert Ch & Hauton J, The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45
Etievant P — *See* Pham-Delegue M H *et al*, 661

Fast R, Eberhard T H, Ruusala T & Kurland C G, Does streptomycin cause an error catastrophe ? 131
Fay M — *See* Lacombe Ph *et al*, 37
Fayat G — *See* Springer M *et al*, 1065
Feige J-J & Chambaz E M, Membrane receptors with protein-tyrosine kinase activity, 379
Feltz A, Demeneix B, Feltz P, Taleb O, Trouslard J, Bossu J-L & Dupont J-L, Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395
Feltz P — *See* Feltz A *et al*, 395
Forget N — *See* Chevillotte-Brivet P *et al*, 25
Fosset M — *See* Rieger F *et al*, 411
Fremont L, Duranthon V, Gozzelino M-Th & Mahé S, Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773
Frobert Y — *See* Musset F *et al*, 147
Furet J-P — *See* Gaye P *et al*, 601 — *See* Vilotte J-L *et al*, 609

Gabard J — *See* Meyer Ch *et al*, 735
Galle A-M — *See* Pernollet J-Cl *et al*, 683
Garrett R A — *See* Vester B, 891
Garrido-Pertierra A — *See* Prieto M I *et al*, 1161
Garcia L — *See* Rieger F *et al*, 411
Gasser F —*See* Janvier M, 1169
Gay R — *See* Matta-El-Ammouri G *et al*, 109 — *See* Junelles A-M *et al*, 1183
Gaye P — ***, Hue-Delahaie D, Mercier J-Cl, Soulier S, Vilotte J-L & Furet J-P, Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601 — *** *See* Vilotte J-L *et al*, 609
Gazzolo L — *See* Quash G *et al*, 101
Gelfi J — *See* Rasschaert D *et al*, 591
Gewitz H-S — *See* Arad T *et al*, 1001
Girard J-P — *See* Payan P *et al*, 321
Giraud F — *See* Enouf J *et al*, 297
Goldberg I H — *See* Povirk L F, 815
Gore J — *See* Quash G *et al*, 101
Gozzelino M-Th — *See* Fremont L *et al*, 773
Graffe M — *See* Springer M *et al*, 1065
Granier F — *See* Thiellement H *et al*, 781
Grassi J — *See* Musset F *et al*, 147

Green Ch J — *See* Rottmann W H *et al*, 137
Greenleaf A L — *See* Sluder A E *et al*, 1199
Gremeaux Th, Tanti J-F, Van Obberghen E & Le Marchand-Brustel Y, Alteration of insulin receptor kinase in obese, insulin-resistant mice, 387
Grunberg-Manago M — *See* Springer M *et al*, 1065
Gualerzi C O — *See* Canonaco M A *et al*, 957
Gudkov A T — *See* Liljas A, 1043
Guédon G, Ebel J-P & Remy P, Yeast phenylalanyl-tRNA synthetase : evidence for the formation of ADP by phosphorolysis of enzyme-bound aminoacyladenylate, 1175
Guerche Ph, Bellini C, Le Moullec J-M & Caboche M, Use of a transient expression assay for the optimization of direct gene transfer into tobacco mesophyll protoplasts by electroporation, 621
Guérin M F — *** & Hayes D H, Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965 — *** *See* Hayes F, 975
Guillon G, Balestre M-N, Mouillac B, Berrada R & Kirk C J, Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351
Guillou F — *See* Anouassi A *et al*, 647

Hansen P K, Clark B F C & Petersen H U, Interaction between non-formylated initiator Met-tRNA$_f^{Met}$ and the ribosomal A-site from *Escherichia coli*, 871
Hardesty B — *See* Odom O W, 925
Hartmann R K, Ulbrich N & Erdmann V A, An unusual rRNA operon constellation in *Thermus thermophilus* HB8 the 23S/5S rRNA operon is a separate entity from the 16S rRNA operon, 1097
Hausner Th-P, Atmadja J & Nierhaus K H, Evidence that the G^{2661} region of 23S rRNA is located at the ribosomal binding sites of both elongation factors, 911
Hauton J — *See* Esnault-Dupuy Ch *et al*, 45
Hauton J C — *** & Lafont H, Lipid biodynamics : new perspectives, 177 — ***, Chanussot F & Lafont H, Determination of the physicochemical parameters of a lipoprotein class from weight percentage data, 543 — ***, Martigne M, Domingo N & Lafont H, Determination of physicochemical parameters of liposomes from concentration data, 547
Hayes D H — *See* Guérin M F, 965
Hayes F & Guérin M F, 5S RNA-protein complexes released by EDTA treatment of 60S ribosomal subunits of *Tetrahymena thermophila*, 975
Hecquet Ch — *See* Solavagione E *et al*, 239
Hill W E & Tassanakajohn A, Probing ribosome structure using short oligodeoxyribonucleotides : the question of resolution, 1071
Hiraga K — *See* Ohta K *et al*, 1227
Hoarau J — *See* Meyer Ch *et al*, 735
Holman P S — *See* Rottmann W H *et al*, 137
Homburger V — *See* Bockaert J *et al*, 329 — *See* Rouot B *et al*, 339
Hornig H, Woolley P & Lührmann R, Decoding at the ribosomal A site : antibiotics, misreading and energy of aminoacyl-tRNA binding, 803
Hue-Delahaie D — *See* Gaye P *et al*, 601 — *See* Vilotte J-L *et al*, 609
Huet J-Cl — *See* Moutot F *et al*, 563 — *See* Pernollet J-Cl *et al*, 683
Hummel H & Böck A, Thiostrepton resistance mutations in the gene for 23S ribosomal RNA of Halobacteria, 857

Ifem F M — *See* Echetebu C O *et al*, 223

Janati-Idrissi R — *See* Matta-El-Ammouri G *et al*, 109 — *See* Junelles A-M *et al*, 1183
Janvier M & Gasser F, Purification and properties of methanol dehydrogenase from *Methylophaga marina*, 1169
Jollès P — *See* Bernier I, 1127
Jouanin L — *See* Robaglia Ch *et al*, 231
Junelles A-M — *** *See* Matta-El-Ammouri G *et al*, 109 — ***, Janati-Idrissi R, Petitdemange H & Gay R, Effect of pyruvate on glucose metabolism in *Clostridium acetobutylicum*, 1183

Kaletha K, Bogdanowicz S & Raffin J-P, Regulatory properties of pigeon heart muscle AMP deaminase, 117
Keith G, Stimulation of rat kidney, spleen and brain DNA (cytosine-5-)-methyltransferases by divalent cobalt ions, 1235
Kelly P A — *See* Dusanter-Fourt I *et al*, 639
Kergonou J-F, Marais D, Lafite Ch, Pennacino I & Ducousso R, Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153
Khoja S M & Ardawi M S M, The effect of thermal injury on the regulation of phosphofructokinase in the mucosa of rat small intestine, 71
Kirk C J — *See* Guillon G *et al*, 351
Klarsfeld A, Coordinate control of synaptic protein expression at the neuromuscular junction, 433
Koets H J — *See* Van Gemen B *et al*, 841
Kordon C — *See* Enjalbert A *et al*, 271
Koumanov K S — *See* Petkova D H *et al*, 1251
Kozlowski M — *See* Zagórski W *et al*, 517
Kraus L — *See* Lacombe Ph *et al*, 37
Kurland C G — *See* Fast R *et al*, 131 — *See* Andersson S, 901

Lacombe Ph, Kraus L, Fay M & Pocidalo J-J, Glutathione status of rat thymocytes and splenocytes during the early events of their ConA proliferative responses, 37
Lafite Ch — *See* Kergonou J-F *et al*, 1153
Lafont H — *See* Esnault-Dupuy Ch *et al*, 45 — *See* Hauton J C, 177 — *See* Termine E *et al*, 245 — *See* Hauton J C *et al*, 543 — *See* Hauton J C *et al*, 547
Laignelet B — *See* Autran J-Cl *et al*, 699
Landry J & Moureaux Th, Albumins and globulins in developing maize grains, 691
Laude H — *See* Rasschaert D *et al*, 591
Lázaro E, Van Den Broek L A G M, Ottenheijm H C J, Lelieveld P & Ballesta J P G, Structure—activity relationships of sparsomycin : modification at the hydroxyl group, 849
Lazdunski M — *See* Rieger F *et al*, 411
Lebret M — *See* Enouf J *et al*, 297 — *See* Rendu F *et al*, 305
Lecompte F — *See* Anouassi A *et al*, 647
Lelieveld P — *See* Lázaro E *et al*, 849
Lelièvre L — *See* Mayoux E *et al*, 419
Le Maire M — *** *See* Denis H, 475 — *** & Denis H, Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485 — *** *See* Denis H, 495
Le Marchand-Brustel Y — *See* Gremeaux Th *et al*, 387
Le Moullec J-M — *See* Guerche Ph *et al*, 621
Léonardi J — *See* Termine E *et al*, 245
Le Peuch Ch — *See* Enouf J *et al*, 297
Lescure J-Ch — *See* Moutot F *et al*, 563

Levy-Toledano S — *See* Enouf J *et al*, 297 — *See* Rendu F *et al*, 305
Liljas A & Gudkov A T, The structure and dynamics of ribosomal protein L12, 1043
Lirochon J, Salmon Ch, Rouger Ph & Doinel Ch, Radioactive labeling techniques for the identification of G antigen in the human Rh blood group system, 1191
Loret C — *See* Courty J *et al*, 511
Louie K A — *See* Matheson A T *et al*, 1013
Lührmann R — *See* Hornig H *et al*, 803

Maclouf J — *See* Rendu F *et al*, 305
Magor A M & Venables W A, Solubilization, purification and characterization of D-alanine dehydrogenase from *Pseudomonas aeruginosa* and effects of solubilization on its properties, 63
Mahé S — *See* Fremont L *et al*, 773
Makosky P C & Dahlberg A E, Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli :* an analysis of three mutants, 885
Marais D — *See* Kergonou J-F *et al*, 1153
Marche M, Basurko M-J & Cassaigne A, Interaction of phosphonates related to glutathione with the rat kidney γ-glutamylcysteine synthetase, 461
Marche P — *See* Rendu F *et al*, 305
Marez A, N'Guyen T, Chevallier B, Clément G, Dauchel M C & Barritault D, Platelet derived growth factor is present in human placenta : purification from an industrially processed fraction, 125
Márquez F J — *See* Pérez-Rodríguez J *et al*, 469
Martigne M — *See* Hauton J C *et al*, 547
Martin F, Ramstedt M & Söderhäll K, Carbon and nitrogen metabolism in ectomycorrhizal fungi and ectomycorrhizas, 569
Martin J — *See* Prieto M I *et al*, 1161
Masson C — *See* Pham-Delegue M H *et al*, 661
Massoulié J — *See* Musset F *et al*, 147
Matheson A T, Louie K A, Tak B D & Zuker M, The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013
Matta-El-Ammouri G, Janati-Idrissi R, Junelles A-M, Petitdemange H & Gay R, Effects of butyric and acetic acids on acetone-butanol formation by *Clostridium acetobutylicum*, 109
Maurel M-Ch & Ninio J, Catalysis by a prebiotic nucleotide analog of histidine, 551
Mayaux J-F — *See* Springer M *et al*, 1065
Mayoux E, Lelièvre L & Charlemagne D, Can changes in sarcolemmal membranes account for the altered inotropic responsiveness in hypertrophied heart ?, 419
Medina M A — *See* Pérez-Rodríguez J *et al*, 469
Melin A-M — *See* Montaudon D *et al*, 1243
Mercier J-Cl — *See* Gaye P *et al*, 601 — *See* Vilotte J-L *et al*, 609
Meunier B, Horseradish peroxidase : a useful tool for modeling the extra-hepatic biooxidation of exogens, 3
Meunier-Lemesle D — *See* Chevillotte-Brivet P *et al*, 25
Meyer Ch, Cherel I, Moureaux Th, Hoarau J, Gabard J & Rouze P, Bromphenol blue : nitrate reductase activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735
Meyer D — *See* Moris G *et al*, 1217
Michot B & Bachellerie J-P, Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11
Mieszczak M — *** *See* Zagórski W *et al*, 517 — *** & Zagórski W, *mim3* and *nam3*, omnipotent suppressor genes similarly affect the polypeptide composition of yeast mitoribosomes, 531
Moazed D & Noller H F, Chloramphenicol, erythromycin, carbomycin and vernamycin B protect overlapping sites in the peptidyl transferase region of 23S ribosomal RNA, 879
Mocquot B, Ricard B & Pradet A, Rice embryos can express heat-shock genes under anoxia, 677
Moenner M — *See* Courty J *et al*, 511
Möller W, Schipper A & Amons R, A conserved amino acid sequence around Arg^{-68} of *Artemia* elongation factor 1*a* is involved in the binding of guanine nucleotides and aminoacyl transfer RNAs, 983
Momchilova-Pankova A B — *See* Petkova D H *et al*, 1251
Monneron A, d'Alayer J & Coussen F, Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263
Montarras D & Pinset Ch, Proto-oncogenes, 171
Montaudon D, Carbonneau M-A, Melin A-M & Rebeyrotte N, Lipid composition, lipid fluidity and radioresistance of *Deinococcus radiodurans* and two mutant strains, 1243
Morel M-H — *See* Autran J-Cl *et al*, 699
Moris G, Meyer D, Orfanoudakis G, Befort N, Ebel J-P & Rémy P, Dinucleoside tetraphosphate variations in cultured tumor cells during their cell cycle and growth, 1217
Morot-Gaudry J-F — *See* Moutot F *et al*, 563
Mougel M — *See* Baudin F *et al*, 1081
Mouillac B — *See* Guillon G *et al*, 351
Moureaux Th — *See* Landry J, 691 — *See* Meyer Ch *et al*, 735
Moutot F, Huet J-Cl, Wuilleme S, Lescure J-Ch, Baudet J, Pernollet J-Cl & Morot-Gaudry J-F, Biochemical aspect of photoassimilated carbon partitioning at late kernel fill in maize under climatic stress, 563
Musset F, Frobert Y, Grassi J, Vigny M, Boulla G, Bon S & Massoulié J, Monoclonal antibodies against acetylcholinesterase from electric organs of *Electrophorus* and *Torpedo*, 147

Naaman E — *See* Durand Ph *et al*, 629
Nahon J-L, The regulation of albumin and α-fetoprotein gene expression in mammals, 445
Nalbone G — *See* Termine E *et al*, 245
Nemoz G — *See* Blanco C, 157
N'Guyen T — *See* Marez A *et al*, 125
Niclas J — *See* Rottmann W H *et al*, 137
Nierhaus K H — *See* Hausner Th-P *et al*, 911 — *See* El Baradi T T A L *et al*, 939
Ninio J — *See* Maurel M-Ch, 551
Noller H F — *See* Moazed D, 879
Núñez de Castro I — *See* Pérez-Rodríguez J *et al*, 469
Nurse K, Colgan J, Denman R, Wilhelm J & Ofengand J, Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105

Odom O W & Hardesty B, An apparent conformational change in $tRNA^{Phe}$ that is associated with the peptidyl transferase reaction, 925
Ofengand J — *See* Nurse K *et al*, 1105
Ohta K, Seo N, Yoshida T, Hiraga K & Tuboi S, Tubulin and high molecular weight microtubule-associated proteins as endogenous substrates for protein carboxymethyltransferase in brain, 1227
Orfanoudakis G — *See* Moris G *et al*, 1217
Ottenheijm H C J — *See* Lázaro E *et al*, 849

Pajot-Augy E — *See* Prulière G *et al*, 583
Pautot V — *See* Robaglia Ch *et al*, 231
Pawlik R T — *See* Canonaco M A *et al*, 957
Payan P, Girard J-P & Viglietti F, Evidence for an acidic compartment in sea urchin eggs *(Paracentrotus lividus)* : role at fertilization, 321
Péaud-Lenoël Cl — *See* Axelos M *et al*, 671
Pennacino I — *See* Kergonou J-F *et al*, 1153
Percheron F — *See* Solavagione E *et al*, 239
Pérez-Rodríguez J, Sánchez-Jiménez F, Márquez F J, Medina M A, Quesada A R & Núñez de Castro I, Malate-citrate cycle during glycolysis and glutaminolysis in Ehrlich ascites tumor cells, 469
Pernollet J-Cl — *** *See* Moutot F *et al*, 563 — ***, Huet J-Cl, Galle A-M & Sallantin M, N-terminal sequences of oat avenins compared to other cereal prolamins, 683
Petersen H U — *See* Hansen P K *et al*, 871
Petitdemange H — *See* Matta-El-Ammouri G *et al*, 109 — *See* Junelles A-M *et al*, 1183
Petkova D H, Momchilova-Pankova A B & Koumanov K S, Effect of liver plasma membrane fluidity on endogenous phospholipase A_2 activity, 1251
Pfister Cl — *See* Deterre Ph *et al*, 365
Pfohl-Leszkowicz A, Baldacini O, Keith G & Dirheimer G, Stimulation of rat kidney, spleen and brain DNA (cytosine-5-)-methyltransferases by divalent cobalt ions, 1235
Pham-Delegue M H, Etievant P & Masson C, Molecular parameters involved in bee—plant relationships : a biological and chemical approach, 661
Piefke J — *See* Arad T *et al*, 1001
Pinçon-Raymond M — *See* Rieger F *et al*, 411
Pinset Ch — *See* Montarras D, 171
Planta R J — *See* El-Baradi T T A L *et al*, 939
Plooy C A M — *See* Van Gemen B *et al*, 841
Plumbridge J — ***, The role of *dam* methylation in controlling gene expression, 439 — *** & Söll D, The effect of *dam* methylation on the expression of *glnS* in *E. coli*, 539
Pocidalo J-J — *See* Lacombe Ph *et al*, 37
Pon C L — *See* Canonaco M A *et al*, 957
Pont S, Thy-1 : a lymphoid cell subset marker capable of delivering an activation signal to mouse T lymphocytes, 315
Portugal J & Waring M J, Analysis of the effects of antibiotics on the structure of nucleosome core particles determined by DNAase I cleavage, 825
Povirk L F & Goldberg I H, A role for oxidative DNA sugar damage in mutagenesis by neocarzinostatin and bleomycin, 815
Pradet A — *See* Mocquot B *et al*, 677
Price D H — *See* Sluder A E *et al*, 1199
Prieto M I, Martin J, Balaña-Fouce R & Garrido-Pertierra A, Properties of α-aminobutyraldehyde dehydrogenase from *Escherichia coli*, 1161
Prulière G, Pajot-Augy E, Campion E & Douzou P, Thermal behavior of collagen and agarose solutions and its possible implications in the cryobehavior of living systems, 583

Quash G, Ripoll H, Gazzolo L, Doutheau A, Saba A & Gore J, Malondialdehyde production from spermine by homogenates of normal and transformed cells, 101
Quesada A R — *See* Pérez-Rodríguez J *et al*, 469
Quiquampoix H, A stepwise approach to the understanding of extracellular enzyme activity in soil I. Effect of electrostatic interactions on the conformation of a β-D-glucosidase adsorbed on different mineral surfaces, 753 — A stepwise approach to the understanding of extracellular enzyme activity in soil II. Competitive effects on the adsorption of a β-D-glucosidase in mixed mineral or organo—mineral systems, 765

Raffin J-P — *See* Kaletha K *et al*, 117
Raimond F — *See* Robaglia Ch *et al*, 231
Rampini Cl, Barbu V & Dubois C, Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257
Ramstedt M — *See* Martin F *et al*, 569
Rasschaert D, Gelfi J & Laude H, Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591
Raué H A — *See* El-Baradi T T A L *et al*, 939
Rebeyrotte N — *See* Montaudon D *et al*, 1243
Regt V C H F (de) — *See* El-Baradi T T A L *et al*, 939
Remy P — *See* Guédon G *et al*, 1175 — *See* Moris G *et al*, 1217
Renaud J F, Involvement of cation transporting systems in myotonic diseases, 407
Rendu F, Marche P, Viret J, Maclouf J, Lebret M, Tenza D, Caen J & Levy-Toledano S, Signal transduction in normal and pathological thrombin-stimulated human platelets, 305
Ricard B — *See* Mocquot B *et al*, 677
Rieger F, Pinçon-Raymond M, Tassin A M, Garcia L, Romey G, Fosset M & Lazdunski M, Excitation—contraction uncoupling in the developing skeletal muscle of the muscular dysgenesis mouse embryo, 411
Ripoll H — *See* Quash G *et al*, 101
Rivière J-L & Cabanne F, Animal and plant cytochrome P-450 systems, 743
Robaglia Ch, Vilaine F, Pautot V, Raimond F, Amselem J, Jouanin L, Casse-Delbart F & Tepfer M, Expression vectors based on the *Agrobacterium rhizogenes* Ri plasmid transformation system, 231
Romby P — *See* Baudin F *et al*, 1081
Romey G — *See* Rieger F *et al*, 411
Rottmann W H, Deselms K R, Niclas J, Camerato T, Holman P S, Green Ch J & Tolan D R, The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones, 137
Rouger Ph — *See* Lirochon J *et al*, 1191
Rouot B — *** *See* Bockaert J *et al*, 329 — ***, Brabet Ph, Homburger V, Toutant M & Bockaert J, G_o, a major brain GTP binding protein in search of a function : purification, immunological and biochemical characteristics, 339
Rouze P — *See* Meyer Ch *et al*, 735
Ruffin P, Histidine-rich protein in rodent malaria, 249
Ruusala T — *See* Fast R *et al*, 131

Saba A — *See* Quash G *et al*, 101
Saez J M — *See* Durand Ph *et al*, 629
Sagristá M L — *** & Bozal J, Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205 — *** & Bozal J, Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207
Sallantin M — *See* Pernollet J-Cl *et al*, 683
Salmon Ch — *See* Lirochon J *et al*, 1191
Salou G — *See* Chevillotte-Brivet P *et al*, 25
Sánchez-Jiménez F — *See* Pérez-Rodríguez J *et al*, 469
Schipper A — *See* Möller W *et al*, 983

Sels A — *See* Chaput M, 53
Seo N — *See* Ohta K *et al*, 1227
Sine J-P & Colas B, Soluble form of acetylcholinesterase from rabbit enterocytes : comparison of its molecular properties with those of the plasma membrane species, 75
Sladeczek F, Putative role of inositol phospholipid metabolism in neurons, 287
Slonimski P P — *See* Zagórski W *et al*, 517
Sluder A E, Price D H & Greenleaf A L, An activity necessary for *in vitro* transcription is a DNase inhibitor, 1199
Söderhäll K — *See* Martin F *et al*, 569
Solavagione E, Bourbouze R, Percheron F, Hecquet Ch & Adolphe M, Partial characterization of intracellular and secreted glycosidases from rabbit articular chondrocytes in culture, 239
Söll D — *See* Plumbridge J, 539
Soulier S — *See* Gaye P *et al*, 601 — *See* Vilotte J-L *et al*, 609
Spirin A, Structural dynamic aspects of protein synthesis on ribosomes, 949
Spitnik-Elson P — *See* Elson D, 991
Springer M, Graffe M, Mayaux J-F, Dardel F, Fayat G, Blanquet S & Grunberg-Manago M, Open reading frames in the control regions of the phenylalanyl-tRNA synthetase operon of *E. coli*, 1065
Spyridakis A — *See* Zagórski W *et al*, 517
Stöffler G — *See* Stöffler-Meilicke M, 1049
Stöffler-Meilicke M & Stöffler G, The topography of ribosomal proteins on the surface of the 30S subunit of *Escherichia coli*, 1049
Suzuki A, Ribulose 1,5-bisphosphate carboxylase—oxygenase I. Structural, immunochemical and catalytic properties, 723

Tak B D — *See* Matheson A T *et al*, 1013
Taleb O — *See* Feltz A *et al*, 395
Tanti J-F — *See* Gremeaux Th *et al*, 387
Tassanakajohn A — *See* Hill W E, 1071
Tassin A M — *See* Rieger F *et al*, 411
Tenza D — *See* Rendu F *et al*, 305
Tepfer M — *See* Robaglia Ch *et al*, 231
Termine E, Léonardi J, Lafont H & Nalbone G, Intracellular phospholipase activity in rat heart : comparison between endogenous and exogenous substrates, 245
Teyssendier de la Serve B — *See* Axelos M *et al*, 671
Thiellement H, Zivy M, Colas des Francs C, Bahrman N & Granier F, Two-dimensional gel electrophoresis of proteins as a tool in wheat genetics, 781
Tolan D R — *See* Rottmann W H *et al*, 137
Touati E & Danchin A, The structure of the promoter and amino terminal region of the pH 2.5 acid phosphatase structural gene *(appA)* of *E. coli :* a negative control of transcription mediated by cyclic AMP, 215
Toutant M — *See* Rouot B *et al*, 339
Trouslard J — *See* Feltz A *et al*, 395
Tuboi S — *See* Ohta K *et al*, 1227

Ulbrich N — *See* Hartmann R K *et al*, 1097

Vadot E, Eye diseases and proteins controlling visual transduction, 371
Van Den Broek L A G M — *See* Lázaro E *et al*, 849
Van Gemen B, Koets H J, Plooy C A M, Bodlaender J & Van Knippenberg P H, Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841
Van Knippenberg P H — *See* Van Gemen B *et al*, 841
Van Obberghen E — *See* Gremeaux Th *et al*, 387
Venables W A — *See* Magor A M, 63
Verbert A, Cacan R & Cecchelli R, Membrane transport of sugar donors to the glycosylation sites, 91
Vester B & Garrett R A, A plasmid-coded and site-directed mutation in *Escherichia coli* 23S RNA that confers resistance to erythromycin : implications for the mechanism of action of erythromycin, 891
Viglietti F — *See* Payan P *et al*, 321
Vigny M — *See* Musset F *et al*, 147
Vijgenboom E & Bosch L, Transfer of plasmid-borne *tuf* mutations to the chromosomes as a genetic tool for studying the functioning of EF-TuA and EF-TuB in the *E. coli* cell, 1021
Vilaine F — *See* Robaglia Ch *et al*, 231
Vilotte J-L — *** *See* Gaye P *et al*, 601 — ***, Soulier S, Mercier J-Cl, Gaye P, Hue-Delahaie D & Furet J-P, Complete nucleotide sequence of bovine α-lactalbumin gene : comparison with its rat counterpart, 609
Viret J — *See* Rendu F *et al*, 305

Waring M J — *See* Portugal J, 825
Weinstein S — *See* Arad T *et al*, 1001
Wilhelm J — *See* Nurse K *et al*, 1105
Wittmann H G — *See* Arad T *et al*, 1001
Woolley P — *See* Hornig H *et al*, 803
Wuilleme S — *See* Moutot F *et al*, 563

Yonath A — *See* Arad T *et al*, 1001
Yoshida T — *See* Ohta K *et al*, 1227

Zagórski W, Kozlowski M, Mieszczak M, Spyridakis A, Claisse M & Slonimski P P, Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517
Zivy M — *See* Thiellement H *et al*, 781
Zuker M — *See* Matheson A T *et al*, 1013

Biochimie, **69** (1987) 1275 – 1284
© Société de Chimie biologique/Elsevier, Paris

Key Words Index – 1987

A site. Decoding at the ribosomal A site : antibiotics, misreading and energy of aminoacyl-tRNA binding, 803
Acetoacetate decarboxylase. Effect of pyruvate on glucose metabolism in *Clostridium acetobutylicum*, 1183
Acetone. Effects of butyric and acetic acids on acetone-butanol formation by *Clostridium acetobutylicum*, 109
Acetylcholinesterase. Soluble form of acetylcholinesterase from rabbit enterocytes : comparison of its molecular properties with those of the plasma membrane species, 75 — Monoclonal antibodies against acetylcholinesterase from electric organs of *Electrophorus* and *Torpedo*, 147
Acid dissociation. Purification and characterization of luteinizing hormone from the dromedary *(Camelus dromedarius)*, 647
Acid phosphatase. Partial characterization of intracellular and secreted glycosidases from rabbit articular chondrocytes in culture, 239
Actin. Coexpression and evolution of the two sarcomeric actin genes in vertebrates, 1119
Activation. Signal transduction in normal and pathological thrombin-stimulated human platelets, 305 — Thy-1 : a lymphoid cell subset marker capable of delivering an activation signal to mouse T lymphocytes, 315 — Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773
Activation and catalysis. Ribulose 1,5-bisphosphate carboxylase—oxygenase I. Structural, immunochemical and catalytic properties, 723
Active. Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965
Adenohypophysis. Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271
S-adenosylmethionine. Tubulin and high molecular weight microtubule-associated proteins as endogenous substrates for protein carboxymethyltransferase in brain, 1227
Adenylate cyclase. Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263 — Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271 — GTP binding proteins : a key role in cellular communication, 329 — Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351 — Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine fetuses : *in vitro* effects of $ACTH_{1-24}$ and forskolin, 629
Adenylate cyclase activation. Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395
Adrenal. Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine fetuses : *in vitro* effects of $ACTH_{1-24}$ and forskolin, 629
ADP synthesis. Yeast phenylalanyl-tRNA synthetase : evidence for the formation of ADP by phosphorolysis of enzyme-bound aminoacyladenylate, 1175
Affinity chromatography. One step purification of *Escherichia coli* β-glucuronidase, 157 — Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263
Agarose. Thermal behavior of collagen and agarose solutions and its possible implications in the cryobehavior of living systems, 583
Aggregation. Characterization and quantification of low molecular weight glutenins in durum wheats, 699
Agonists. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Agrobacterium rhizogenes. Expression vectors based on the *Agrobacterium rhizogenes* Ri plasmid transformation system, 231
D-alanine. Solubilization, purification and characterization of D-alanine dehydrogenase from *Pseudomonas aeruginosa* and effects of solubilization on its properties, 63
Albumin. The regulation of albumin and α-fetoprotein gene expression in mammals, 445 — Albumins and globulins in developing maize grains, 691
Aldolase. The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones, 137
Aluminofluoride. The retinal phototransduction process : enzymatic cascade and regulation, 365
Amino acid sequence. Biochemical comparative studies between eye- and brain-derived growth factors, 511
D-amino acid. Solubilization, purification and characterization of D-alanine dehydrogenase from *Pseudomonas aeruginosa* and effects of solubilization on its properties, 63
Amino-terminal sequence. One step purification of *Escherichia coli* β-glucuronidase, 157
Aminoacyl tRNA. A conserved amino acid sequence around Arg^{-68} of *Artemia* elongation factor 1*a* is involved in the binding of guanine nucleotides and aminoacyl transfer RNAs, 983
γ-aminobutyraldehyde dehydrogenase. Properties of α-aminobutyraldehyde dehydrogenase from *Escherichia coli*, 1161
AMP deaminase. Regulatory properties of pigeon heart muscle AMP deaminase, 117
cAMP — *See* **(Cyclic AMP)**
Amphibians. Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485 — Biochemical research on oogenesis : distribution of tRNA-linked peptides and proteins in previtellogenic oocytes of *Xenopus laevis*, 495
Angiotensin II. Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271
Anoxia. Rice embryos can express heat-shock genes under anoxia, 677
Antagonists. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655

Antibiotic resistance. On the nature of antibiotic binding sites in ribosomes, 863 — Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli :* an analysis of three mutants, 885

Antibiotics. Baciphelacin : a new eukaryotic translation inhibitor, 797 — Decoding at the ribosomal A site : antibiotics, misreading and energy of aminoacyl-tRNA binding, 803 — Analysis of the effects of antibiotics on the structure of nucleosome core particles determined by DNAase I cleavage, 825 — On the nature of antibiotic binding sites in ribosomes, 863 — Chloramphenicol, erythromycin, carbomycin and vernamycin B protect overlapping sites in the peptidyl transferase region of 23S ribosomal RNA, 879

Antibodies. The topography of ribosomal proteins on the surface of the 30S subunit of *Escherichia coli*, 1049 — Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153

Antimycin binding. Effects of a missense exonic mutation in cytochrome *b* gene, observed on isolated mitochondrial complex III of *Saccharomyces cerevisiae :* consequence for the antimycin binding site, 25

Antiport. Membrane transport of sugar donors to the glycosylation sites, 91

Anti-tumor antibiotics. A role for oxidative DNA sugar damage in mutagenesis by neocarzinostatin and bleomycin, 815

Apoprotein AI. Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773

Apoprotein CII. Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773

Apurinic/apyrimidinic sites. A role for oxidative DNA sugar damage in mutagenesis by neocarzinostatin and bleomycin, 815

Archaebacteria. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11 — Thiostrepton resistance mutations in the gene for 23S ribosomal RNA of Halobacteria, 857

Aroma. Molecular parameters involved in bee—plant relationships : a biological and chemical approach, 661

Artemia. A conserved amino acid sequence around Arg^{68} of *Artemia* elongation factor 1*a* is involved in the binding of guanine nucleotides and aminoacyl transfer RNAs, 983

Ascites cells. Malate-citrate cycle during glycolysis and glutaminolysis in Ehrlich ascites tumor cells, 469

Atheromatosis. Lipid biodynamics : new perspectives, 177

Attenuation. Open reading frames in the control regions of the phenylalanyl-tRNA synthetase operon of *E. coli*, 1065

Avenins. N-terminal sequences of oat avenins compared to other cereal prolamins, 683

Bacillus stearothermophilus. Three-dimensional image reconstruction from ordered arrays of 70S ribosomes, 1001

Baciphelacin. Baciphelacin : a new eukaryotic translation inhibitor, 797

BDGFs. Biochemical comparative studies between eye- and brain-derived growth factors, 511

Bilayer. Lipid biodynamics : new perspectives, 177

Bile salts. The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45

Bile secretion. Lipid biodynamics : new perspectives, 177

Binding. Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205 — A survey on cytosolic non-enzymic proteins involved in the metabolism of lipophilic compounds : from organic anion binders to new protein families, 1127 — Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207

Bioluminescence. Dinucleoside tetraphosphate variations in cultured tumor cells during their cell cycle and growth, 1217

Biopolymers. Thermal behavior of collagen and agarose solutions and its possible implications in the cryobehavior of living systems, 583

Biotransformation. Animal and plant cytochrome P-450 systems, 743

Bird. Animal and plant cytochrome P-450 systems, 743

Bovine. Complete nucleotide sequence of bovine α-lactalbumin gene : comparison with its rat counterpart, 609

Brain. G_o, a major brain GTP binding protein in search of a function : purification, immunological and biochemical characteristics, 339

Bromphenol blue. Bromphenol blue : nitrate reductase activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735

Butanol. Effects of butyric and acetic acids on acetone-butanol formation by *Clostridium acetobutylicum,* 109

Ca^{2+}. GTP binding proteins : a key role in cellular communication, 329

Ca^{2+} uptake. Relationship between cAMP and Ca^{2+} fluxes in human platelet membranes, 297

Ca^{2+}-activated K^+-channel. Involvement of cation transporting systems in myotonic diseases, 407

Ca^{2+} channel. Can changes in sarcolemmal membranes account for the altered inotropic responsiveness in hypertrophied heart ?, 419

Calcium. Phospholipidic second messengers and calcium, 281

Calmodulin. Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263

Camel. Purification and characterization of luteinizing hormone from the dromedary *(Camelus dromedarius)*, 647

Carbohydrate-containing lipids. Lipid composition, lipid fluidity and radioresistance of *Deinococcus radiodurans* and two mutant strains, 1243

Carbon. Carbon and nitrogen metabolism in ectomycorrhizal fungi and ectomycorrhizas, 569

CAT synthesis. An unusual rRNA operon constellation in *Thermus thermophilus* HB8 the 23S/5S rRNA operon is a separate entity from the 16S rRNA operon, 1097

Cell cycle. Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257

Cell growth. Structure—activity relationships of sparsomycin : modification at the hydroxyl group, 849 — Dinucleoside tetraphosphate variations in cultured tumor cells during their cell cycle and growth, 1217

Cell proliferation. Membrane receptors with protein-tyrosine kinase activity, 379

Cellular responses. Phospholipidic second messengers and calcium, 281

Erythromycin. Elongating ribosomes *in vivo* are refractory to erythromycin, 901

Erythromycin resistance. A plasmid-coded and site-directed mutation in *Escherichia coli* 23S RNA that confers resistance to erythromycin : implications for the mechanism of action of erythromycin, 891

Escherichia coli. The structure of the promoter and amino terminal region of the pH 2.5 acid phosphatase structural gene *(appA)* of *E. coli :* a negative control of transcription

mediated by cyclic AMP, 215 — Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965 — A three dimensional model of domain III of the *Escherichia coli* small ribosomal subunit, 991 — Higher-order structure of domain III in *Escherichia coli* 16S ribosomal RNA, 30S subunit and 70S ribosome, 1081 — Properties of α-aminobutyraldehyde dehydrogenase from *Escherichia coli*, 1161

Eukaryotes. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11

Evolution. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11 — Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013

Excitation—contraction. Excitation—contraction uncoupling in the developing skeletal muscle of the muscular dysgenesis mouse embryo, 411

Excitatory amino acids. Putative role of inositol phospholipid metabolism in neurons, 287

Experimental autoimmune uveoretinitis. Eye diseases and proteins controlling visual transduction, 371

Expression vectors. Expression vectors based on the *Agrobacterium rhizogenes* Ri plasmid transformation system, 231

Fertilization. Evidence for an acidic compartment in sea urchin eggs *(Paracentrotus lividus)* : role at fertilization, 321

Fetal. Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine f fetuses : *in vitro* effects of ACTH $_{1-24}$ and forskolin, 629

α-fetoprotein. The regulation of albumin and α-fetoprotein gene expression in mammals, 445

Fish. Animal and plant cytochrome P-450 systems, 743

Fluidity. Effect of liver plasma membrane fluidity on endogenous phospholipase A_2 activity, 1251

Fluorescence. An apparent conformational change in $tRNA^{Phe}$ that is associated with the peptidyl transferase reaction, 925

Foraging behaviour. Molecular parameters involved in bee—plant relationships : a biological and chemical approach, 661

Forskolin. Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263

Frameshifting. The function, structure and regulation of *E. coli* peptide chain release factors, 1031

Free cholesterol. The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45

Function. The structure and dynamics of ribosomal protein L12, 1043

G_o. G_o, a major brain GTP binding protein in search of a function : purification, immunological and biochemical characteristics, 339

G protein. Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351 — The retinal phototransduction process : enzymatic cascade and regulation, 365 — Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395

GABA receptor sites. Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395

Gallstones. Lipid biodynamics : new perspectives, 177

Gels. Thermal behavior of collagen and agarose solutions and its possible implications in the cryobehavior of living systems, 583

Gene. The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones, 137 — Complete nucleotide sequence of bovine α-lactalbumin gene : comparison with its rat counterpart, 609

***ksgA* Gene**. Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841

Gene localization. Two-dimensional gel electrophoresis of proteins as a tool in wheat genetics, 781

Gene regulation. The regulation of albumin and α-fetoprotein gene expression in mammals, 445 — Two-dimensional gel electrophoresis of proteins as a tool in wheat genetics, 781

Gene sequence. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591

Gene transfer. Use of a transient expression assay for the optimization of direct gene transfer into tobacco mesophyll protoplasts by electroporation, 621

Genome structure. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591

Gliadin. Characterization and quantification of low molecular weight glutenins in durum wheats, 699

glnS. The effect of *dam* methylation on the expression of *glnS* in *E. coli*, 539

Globulins. Albumins and globulins in developing maize grains, 691

Glucagon. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655

Glucose metabolism. Malate-citrate cycle during glycolysis and glutaminolysis in Ehrlich ascites tumor cells, 469

β-glucuronidase. One step purification of *Escherichia coli* β-glucuronidase, 157

Glutaminolysis. Malate-citrate cycle during glycolysis and glutaminolysis in Ehrlich ascites tumor cells, 469

γ-glutamylcysteine synthetase. Interaction of phosphonates related to glutathione with the rat kidney γ-glutamylcysteine synthetase, 461

Glutathione. Glutathione status of rat thymocytes and splenocytes during the early events of their ConA proliferative responses, 37

Gluten. Characterization and quantification of low molecular weight glutenins in durum wheats, 699

Glycosidases. Partial characterization of intracellular and secreted glycosidases from rabbit articular chondrocytes in culture, 239

Glycosylation. Membrane transport of sugar donors to the glycosylation sites, 91

Goethite. A stepwise approach to the understanding of extracellular enzyme activity in soil I. Effect of electrostatic interactions on the conformation of a β-D-glucosidase adsorbed on different mineral surfaces, 753

Grain. Albumins and globulins in developing maize grains, 691

Grain filling. Biochemical aspect of photoassimilated carbon partitioning at late kernel fill in maize under climatic stress, 563

Grape must. A study of pectic polysaccharides in musts from various mature grapes grown in the Pech Rouge experimental vineyards, 713

Growth factor receptor. Membrane receptors with protein-tyrosine kinase activity, 379

GTP-binding proteins. GTP binding proteins : a key role in cellular communication, 329 — G_o, a major brain GTP

binding protein in search of a function : purification, immunological and biochemical characteristics, 339
Guanine nucleotides. A conserved amino acid sequence around Arg^{-68} of *Artemia* elongation factor 1*a* is involved in the binding of guanine nucleotides and aminoacyl transfer RNAs, 983
Guanyl nucleotides. G_o, a major brain GTP binding protein in search of a function : purification, immunological and biochemical characteristics, 339

HDL. The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45
Heart. Intracellular phospholipase activity in rat heart : comparison between endogenous and exogenous substrates, 245
Heat-shock. Rice embryos can express heat-shock genes under anoxia, 677
Hemolymph glucose. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Hemolymph trehalose. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Heparin. Biochemical comparative studies between eye- and brain-derived growth factors, 511
Hepatocarcinogenesis. The regulation of albumin and α-fetoprotein gene expression in mammals, 445
Hepatocyte differentiation. The regulation of albumin and α-fetoprotein gene expression in mammals, 445
Higher-order structure. Higher-order structure of domain III in *Escherichia coli* 16S ribosomal RNA, 30S subunit and 70S ribosome, 1081
Histidine-rich protein. Histidine-rich protein in rodent malaria, 249
Homeology. Two-dimensional gel electrophoresis of proteins as a tool in wheat genetics, 781
Homologous recombination. Transfer of plasmid-borne *tuf* mutations to the chromosomes as a genetic tool for studying the functioning of EF-TuA and EF-TuB in the *E. coli* cell, 1021
Honeybee. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655 — Molecular parameters involved in bee-plant relationships : a biological and chemical approach, 661
Horseradish peroxidase. Horseradish peroxidase : a useful tool for modeling the extra-hepatic biooxidation of exogens, 3
HPLC. Intracellular phospholipase activity in rat heart : comparison between endogenous and exogenous substrates, 245
Human blood platelets. Relationship between cAMP and Ca^{2+} fluxes in human platelet membranes, 297
Hybridization. Level of messenger RNA encoding small subunit ribulose bisphosphate carboxylase is enhanced by cytokinins in tobacco cell suspension cultures, 671 — Probing ribosome structure using short oligodeoxyribonucleotides : the question of resolution, 1071
Hygromycin. Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105
Hypertrophy. Can changes in sarcolemmal membranes account for the altered inotropic responsiveness in hypertrophied heart ?, 419

Immunoprecipitation. Immunological recognition of the prolactin receptor : identification of a single binding unit of molecular weight ???42 000, 639
Inactive. Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965
Inhibition. Elongating ribosomes *in vivo* are refractory to erythromycin, 901
Initiator tRNA. Interaction between non-formylated initiator $Met\text{-}tRNA_f^{Met}$ and the ribosomal A-site from *Escherichia coli*, 871
***in vivo* Injections**. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Inositol phosphates. Putative role of inositol phospholipid metabolism in neurons, 287 — Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351
Inotropic response. Can changes in sarcolemmal membranes account for the altered inotropic responsiveness in hypertrophied heart ?, 419
Insect. Animal and plant cytochrome P-450 systems, 743
Insulin receptor. Alteration of insulin receptor kinase in obese, insulin-resistant mice, 387
Internal Ca. Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395
Interphase partition. Lipid biodynamics : new perspectives, 177
Intestinal absorption. Lipid biodynamics : new perspectives, 177
IP_3-induced Ca^{2+} release. Relationship between cAMP and Ca^{2+} fluxes in human platelet membranes, 297
Isozymes. The complete amino acid sequence of the human aldolase C isozyme derived from genomic clones, 137

48 K protein. Eye diseases and proteins controlling visual transduction, 371
Kaolinite. A stepwise approach to the understanding of extracellular enzyme activity in soil I. Effect of electrostatic interactions on the conformation of a β-D-glucosidase adsorbed on different mineral surfaces, 753
Kasugamycin. Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841
Kinase. Effects of butyric and acetic acids on acetone-butanol formation by *Clostridium acetobutylicum*, 109 — Effect of pyruvate on glucose metabolism in *Clostridium acetobutylicum*, 1183
Kinetic behavior. Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205
Kinetin. Level of messenger RNA encoding small subunit ribulose bisphosphate carboxylase is enhanced by cytokinins in tobacco cell suspension cultures, 671

L12. The structure and dynamics of ribosomal protein L12, 1043
L11-domain. Thiostrepton resistance mutations in the gene for 23S ribosomal RNA of Halobacteria, 857
α-Lactalbumin. Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601 — Complete nucleotide sequence of bovine α-lactalbumin gene : comparison with its rat counterpart, 609
Lactate dehydrogenase. Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205 — Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207

Large subunit rRNA. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11
LDL. The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45
Ligand-binding sites. A survey on cytosolic non-enzymic proteins involved in the metabolism of lipophilic compounds : from organic anion binders to new protein families, 1127
Lipid-water interfaces. Lipid biodynamics : new perspectives, 177
Lipid transfer proteins. Lipid biodynamics : new perspectives, 177
Lipids. Lipid biodynamics : new perspectives, 177
Lipoprotein lipase. Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773
Lipoproteins. Lipid biodynamics : new perspectives, 177 — Determination of the physicochemical parameters of a lipoprotein class from weight percentage data, 543
Liposomes. The relationship between HDL-, LDL-, liposomes-free cholesterol, biliary cholesterol and bile salts in the rat, 45 — Determination of physicochemical parameters of liposomes from concentration data, 547
Low molecular weight glutenin. Characterization and quantification of low molecular weight glutenins in durum wheats, 699
Luteinizing hormone. Purification and characterization of luteinizing hormone from the dromedary *(Camelus dromedarius)*, 647
Lymphocytes. Thy-1 : a lymphoid cell subset marker capable of delivering an activation signal to mouse T lymphocytes, 315 — Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257
Lysozyme. Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153

Magnesium chelation. Interaction of phosphonates related to glutathione with the rat kidney γ-glutamylcysteine synthetase, 461
Maize. Biochemical aspect of photoassimilated carbon partitioning at late kernel fill in maize under climatic stress, 563
Malate-citrate cycle. Malate-citrate cycle during glycolysis and glutaminolysis in Ehrlich ascites tumor cells, 469
Malate dehydrogenase. Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207
Malondialdehyde. Malondialdehyde production from spermine by homogenates of normal and transformed cells, 101
Malonic dialdehyde. Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153
Mammary. Immunological recognition of the prolactin receptor : identification of a single binding unit of molecular weight ???42 000, 639
Mammary gland. Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601
Mass. Lipid biodynamics : new perspectives, 177
Maturation. Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine fetuses : *in vitro* effects of $ACTH_{1\text{-}24}$ and forskolin, 629
Membrane. Solubilization, purification and characterization of D-alanine dehydrogenase from *Pseudomonas aeruginosa* and effects of solubilization on its properties, 63
Membrane fluidity. Signal transduction in normal and pathological thrombin-stimulated human platelets, 305 — Lipid composition, lipid fluidity and radioresistance of *Deinococcus radiodurans* and two mutant strains, 1243
Membrane glycoprotein. Thy-1 : a lymphoid cell subset marker capable of delivering an activation signal to mouse T lymphocytes, 315
Membrane vesicles. Relationship between cAMP and Ca^{2+} fluxes in human platelet membranes, 297
Messenger RNA. Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601
Messenger RNAs. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591
Metabolic labelling. Histidine-rich protein in rodent malaria, 249
Metabolism. Carbon and nitrogen metabolism in ectomycorrhizal fungi and ectomycorrhizas, 569 — Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257
Methanol dehydrogenase. Purification and properties of methanol dehydrogenase from *Methylophaga marina*, 1169
5-Methylcytosine. Stimulation of rat kidney, spleen and brain DNA (cytosine-5-)-methyltransferases by divalent cobalt ions, 1235
Methylophaga marina. Purification and properties of methanol dehydrogenase from *Methylophaga marina*, 1169
Methylotrophic bacteria. Purification and properties of methanol dehydrogenase from *Methylophaga marina*, 1169
Methyltransferase. Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841
Micelles. Lipid biodynamics : new perspectives, 177
Microsomal fraction. Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207
Microtubule associated proteins. Tubulin and high molecular weight microtubule-associated proteins as endogenous substrates for protein carboxymethyltransferase in brain, 1227
Misreading. Decoding at the ribosomal A site : antibiotics, misreading and energy of aminoacyl-tRNA binding, 803
Missense box mutants. Effects of a missense exonic mutation in cytochrome *b* gene, observed on isolated mitochondrial complex III of *Saccharomyces cerevisiae* : consequence for the antimycin binding site, 25
Mitochondrial fraction. Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205
Mitochondrial translation. Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517
Mitogenic response. Glutathione status of rat thymocytes and splenocytes during the early events of their ConA proliferative responses, 37
Mitoribosome. *mim3* and *nam3*, omnipotent suppressor genes similarly affect the polypeptide composition of yeast mitoribosomes, 531
Model. A three dimensional model of domain III of the *Escherichia coli* small ribosomal subunit, 991
Modelization. Lipid biodynamics : new perspectives, 177 — Determination of the physicochemical parameters of a lipoprotein class from weight percentage data, 543 — Determination of physicochemical parameters of liposomes from concentration data, 547
Monoclonal antibodies. Monoclonal antibodies against acetylcholinesterase from electric organs of *Electrophorus* and *Torpedo*, 147 — Bromphenol blue : nitrate reductase

activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735

Monoclonal anti-Rh(G) antibody. Radioactive labeling techniques for the identification of G antigen in the human Rh blood group system, 1191

Monolayer. Lipid biodynamics : new perspectives, 177

Montmorillonite. A stepwise approach to the understanding of extracellular enzyme activity in soil I. Effect of electrostatic interactions on the conformation of a β-D-glucosidase adsorbed on different mineral surfaces, 753 — A stepwise approach to the understanding of extracellular enzyme activity in soil II. Competitive effects on the adsorption of a β-D-glucosidase in mixed mineral or organo—mineral systems, 765

Muscular dysgenesis. Excitation—contraction uncoupling in the developing skeletal muscle of the muscular dysgenesis mouse embryo, 411

Mutated *tuf* genes. Transfer of plasmid-borne *tuf* mutations to the chromosomes as a genetic tool for studying the functioning of EF-TuA and EF-TuB in the *E. coli* cell, 1021

Myotonic muscular dystrophy. Involvement of cation transporting systems in myotonic diseases, 407

Myotubes, *in vitro*. Excitation—contraction uncoupling in the developing skeletal muscle of the muscular dysgenesis mouse embryo, 411

N6 ribosyl adenine. Catalysis by a prebiotic nucleotide analog of histidine, 551

Na^+-channel. Involvement of cation transporting systems in myotonic diseases, 407

(Na^+, K^+)-ATPase. Involvement of cation transporting systems in myotonic diseases, 407

***nam, min* suppressor genes**. Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517

***nam3, mim3* suppressor genes**. *mim3* and *nam3*, omnipotent suppressor genes similarly affect the polypeptide composition of yeast mitoribosomes, 531

Nectar. Molecular parameters involved in bee—plant relationships : a biological and chemical approach, 661

Neuromuscular junction. Coordinate control of synaptic protein expression at the neuromuscular junction, 433

Neurons in primary culture. Putative role of inositol phospholipid metabolism in neurons, 287

New intracellular protein families. A survey on cytosolic non-enzymic proteins involved in the metabolism of lipophilic compounds : from organic anion binders to new protein families, 1127

***Nicotiana tabacum* cell suspensions**. Level of messenger RNA encoding small subunit ribulose bisphosphate carboxylase is enhanced by cytokinins in tobacco cell suspension cultures, 671

Nicotiana plumbaginifolia. Bromphenol blue : nitrate reductase activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735

Nitrate reductase. Bromphenol blue : nitrate reductase activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735

Nitrate reductase-deficient mutants. Bromphenol blue : nitrate reductase activity in *Nicotiana plumbaginifolia :* an immunochemical and genetic approach, 735

Nitrogen. Carbon and nitrogen metabolism in ectomycorrhizal fungi and ectomycorrhizas, 569

Noradrenaline. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655

Normal and transformed cells. Malondialdehyde production from spermine by homogenates of normal and transformed cells, 101

Non-structural polypeptides-1987. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591

N-terminal sequence. N-terminal sequences of oat avenins compared to other cereal prolamins, 683

Nucleosomes. Analysis of the effects of antibiotics on the structure of nucleosome core particles determined by DNAase I cleavage, 825

Nucleotidic sequence. The structure of the promoter and amino terminal region of the pH 2.5 acid phosphatase structural gene *(appA)* of *E. coli :* a negative control of transcription mediated by cyclic AMP, 215 — Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601

Oat. N-terminal sequences of oat avenins compared to other cereal prolamins, 683

Obesity. Alteration of insulin receptor kinase in obese, insulin-resistant mice, 387

Octopamine. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655

Oncogenes. Membrane receptors with protein-tyrosine kinase activity, 379

Oocytes. Biochemical research on oogenesis : protein synthesis in whole cells and in cell-free extracts of *Xenopus laevis* immature ovaries, 475 — Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485 — Biochemical research on oogenesis : distribution of tRNA-linked peptides and proteins in previtellogenic oocytes of *Xenopus laevis*, 495

Ovine. Complete nucleotide sequence of ovine α-lactalbumin mRNA, 601

Oxygen. Sensitivity of yeast cells to reactive oxygen species generated in the extracellular space, 53

Paromomycin. Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517 — Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105

Patch-clamp. Intracellular effectors and modulators of GABA-A and GABA-B receptors : a commentary, 395

PDGF. Platelet derived growth factor is present in human placenta : purification from an industrially processed fraction, 125

Pectic polysaccharides. A study of pectic polysaccharides in musts from various mature grapes grown in the Pech Rouge experimental vineyards, 713

Peptide elongation. An apparent conformational change in $tRNA^{Phe}$ that is associated with the peptidyl transferase reaction, 925

Peptidyl transferase. Chloramphenicol, erythromycin, carbomycin and vernamycin B protect overlapping sites in the peptidyl transferase region of 23S ribosomal RNA, 879

Pertussis toxin. GTP binding proteins : a key role in cellular communication, 329

Phasing. Analysis of the effects of antibiotics on the structure of nucleosome core particles determined by DNAase I cleavage, 825

Phenylalanyl-tRNA synthetase. Yeast phenylalanyl-tRNA synthetase : evidence for the formation of ADP by phosphorolysis of enzyme-bound aminoacyladenylate, 1175
Phosphate. Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257
Phosphatidyl choline. Phosphate dilution lowers net phosphatidyl choline synthesis in lymphocytes, 1257
Phosphofructokinase. The effect of thermal injury on the regulation of phosphofructokinase in the mucosa of rat small intestine, 71
Phosphoinositides. Phospholipidic second messengers and calcium, 281 — Signal transduction in normal and pathological thrombin-stimulated human platelets, 305
Phospholipase. Intracellular phospholipase activity in rat heart : comparison between endogenous and exogenous substrates, 245
Phospholipase A_2. Effect of liver plasma membrane fluidity on endogenous phospholipase A_2 activity, 1251
Phospholipase C. Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271 — Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351
Phospholipids. Intracellular phospholipase activity in rat heart : comparison between endogenous and exogenous substrates, 245 — Effect of liver plasma membrane fluidity on endogenous phospholipase A_2 activity, 1251
Phosphonates. Interaction of phosphonates related to glutathione with the rat kidney γ-glutamylcysteine synthetase, 461
Phosphorolysis. Yeast phenylalanyl-tRNA synthetase : evidence for the formation of ADP by phosphorolysis of enzyme-bound aminoacyladenylate, 1175
Phosphorylation. Signal transduction in normal and pathological thrombin-stimulated human platelets, 305 — Alteration of insulin receptor kinase in obese, insulin-resistant mice, 387
Photosynthesis. Biochemical aspect of photoassimilated carbon partitioning at late kernel fill in maize under climatic stress, 563
Phototransduction. GTP binding proteins : a key role in cellular communication, 329
Physicochemical parameters. Determination of the physicochemical parameters of a lipoprotein class from weight percentage data, 543 — Determination of physicochemical parameters of liposomes from concentration data, 547
Pigeon heart. Regulatory properties of pigeon heart muscle AMP deaminase, 117
Placenta. Platelet derived growth factor is present in human placenta : purification from an industrially processed fraction, 125
Plant. Animal and plant cytochrome P-450 systems, 743
Plant transformation, Expression vectors based on the *Agrobacterium rhizogenes* Ri plasmid transformation system, 231
Plasma membrane. Sensitivity of yeast cells to reactive oxygen species generated in the extracellular space, 53 — Soluble form of acetylcholinesterase from rabbit enterocytes : comparison of its molecular properties with those of the plasma membrane species, 75 — Effect of liver plasma membrane fluidity on endogenous phospholipase A_2 activity, 1251
Platelets. Signal transduction in normal and pathological thrombin-stimulated human platelets, 305
Polylysine. Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153
Polypeptide hormone precursors. Proteolytic events in the post-translational processing of polypeptide hormone precursors, 87
Prebiotic synthesis. Catalysis by a prebiotic nucleotide analog of histidine, 551
Primary and quaternary structures. Ribulose 1,5-bisphosphate carboxylase—oxygenase I. Structural, immunochemical and catalytic properties, 723
Prokaryotes. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11
Prolactin. Multiple coupling of neurohormone receptors with cyclic AMP and inositol phosphate production in anterior pituitary cells, 271 — Immunological recognition of the prolactin receptor : identification of a single binding unit of molecular weight ???42 000, 639
Prolamins. N-terminal sequences of oat avenins compared to other cereal prolamins, 683
Promoter. An unusual rRNA operon constellation in *Thermus thermophilus* HB8 the 23S/5S rRNA operon is a separate entity from the 16S rRNA operon, 1097
Promoter activity. The effect of *dam* methylation on the expression of *glnS* in *E. coli*, 539 — Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841
Promoter search vector. An unusual rRNA operon constellation in *Thermus thermophilus* HB8 the 23S/5S rRNA operon is a separate entity from the 16S rRNA operon, 1097
Propranolol. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Protein. 5S RNA-protein complexes released by EDTA treatment of 60S ribosomal subunits of *Tetrahymena thermophila*, 975 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013
48 K Protein. Eye diseases and proteins controlling visual transduction, 371
Protein adsorption. A stepwise approach to the understanding of extracellular enzyme activity in soil I. Effect of electrostatic interactions on the conformation of a β-D-glucosidase adsorbed on different mineral surfaces, 753 — A stepwise approach to the understanding of extracellular enzyme activity in soil II. Competitive effects on the adsorption of a β-D-glucosidase in mixed mineral or organo—mineral systems, 765
Protein biosynthesis. Decoding at the ribosomal A site : antibiotics, misreading and energy of aminoacyl-tRNA binding, 803
Protein carboxymethyltransferase. Tubulin and high molecular weight microtubule-associated proteins as endogenous substrates for protein carboxymethyltransferase in brain, 1227
Protein fusions. The structure of the promoter and amino terminal region of the pH 2.5 acid phosphatase structural gene *(appA)* of *E. coli :* a negative control of transcription mediated by cyclic AMP, 215
Protein kinase. Membrane receptors with protein-tyrosine kinase activity, 379 — Alteration of insulin receptor kinase in obese, insulin-resistant mice, 387
Protein kinase C. Putative role of inositol phospholipid metabolism in neurons, 287
Protein sequence. The complete amino acid sequence of the

human aldolase C isozyme derived from genomic clones, 137

Protein synthesis. Biochemical research on oogenesis : protein synthesis in whole cells and in cell-free extracts of *Xenopus laevis* immature ovaries, 475 — Rice embryos can express heat-shock genes under anoxia, 677 — Baciphelacin : a new eukaryotic translation inhibitor, 797 — Structure—activity relationships of sparsomycin : modification at the hydroxyl group, 849 — Relationship between size of mRNA ribosomal binding site and initiation factor function, 957

***In vitro* protein synthesis**. Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485

Protein synthesis inhibitors. Biochemical research on oogenesis : protein synthesis in whole cells and in cell-free extracts of *Xenopus laevis* immature ovaries, 475

Protein termination. The function, structure and regulation of *E. coli* peptide chain release factors, 1031

Proto-oncogenes. Proto-oncogenes, 171

Proton store. Evidence for an acidic compartment in sea urchin eggs *(Paracentrotus lividus)* : role at fertilization, 321

Protoplast. Use of a transient expression assay for the optimization of direct gene transfer into tobacco mesophyll protoplasts by electroporation, 621

Purification. Platelet derived growth factor is present in human placenta : purification from an industrially processed fraction, 125 — Purification of the catalytic subunit of adenylate cyclase in vertebrates : state of the art in 1987, 263 — Purification and characterization of luteinizing hormone from the dromedary *(Camelus dromedarius)*, 647

Pyruvic acid. Effect of pyruvate on glucose metabolism in *Clostridium acetobutylicum*, 1183

Quinoprotein. Purification and properties of methanol dehydrogenase from *Methylophaga marina*, 1169

Rabbit enterocyte. Soluble form of acetylcholinesterase from rabbit enterocytes : comparison of its molecular properties with those of the plasma membrane species, 75

Radiomimetic drugs. A role for oxidative DNA sugar damage in mutagenesis by neocarzinostatin and bleomycin, 815

Radioresistance. Lipid composition, lipid fluidity and radioresistance of *Deinococcus radiodurans* and two mutant strains, 1243

Rainbow lizard. Hepatic tyrosine aminotransferase from the rainbow lizard *Agama agama :* purification and some properties, 223

Receptor. GTP binding proteins : a key role in cellular communication, 329 — Immunological recognition of the prolactin receptor : identification of a single binding unit of molecular weight ???42 000, 639

Regulatory properties. The effect of thermal injury on the regulation of phosphofructokinase in the mucosa of rat small intestine, 71

Release factors. The function, structure and regulation of *E. coli* peptide chain release factors, 1031

Retinal S antigen. Eye diseases and proteins controlling visual transduction, 371

Rh blood group. Radioactive labeling techniques for the identification of G antigen in the human Rh blood group system, 1191

Rh(G) antigen. Radioactive labeling techniques for the identification of G antigen in the human Rh blood group system, 1191

Rhodopsin. The retinal phototransduction process : enzymatic cascade and regulation, 365

Ribosomal A-site. Interaction between non-formylated initiator Met-tRNA$_f^{Met}$ and the ribosomal A-site from *Escherichia coli*, 871

Ribosomal functions. Evidence that the G^{2661} region of 23S rRNA is located at the ribosomal binding sites of both elongation factors, 911

Ribosomal large-block mobilities. Structural dynamic aspects of protein synthesis on ribosomes, 949

Ribosomal protein. Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013 — The topography of ribosomal proteins on the surface of the 30S subunit of *Escherichia coli*, 1049

Ribosomal RNA. Chloramphenicol, erythromycin, carbomycin and vernamycin B protect overlapping sites in the peptidyl transferase region of 23S ribosomal RNA, 879 — Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli :* an analysis of three mutants, 885 — A plasmid-coded and site-directed mutation in *Escherichia coli* 23S RNA that confers resistance to erythromycin : implications for the mechanism of action of erythromycin, 891 — Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013 — Probing ribosome structure using short oligodeoxyribonucleotides : the question of resolution, 1071

Ribosomal suppression. Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517 — *mim3* and *nam3*, omnipotent suppressor genes similarly affect the polypeptide composition of yeast mitoribosomes, 531

Ribosomal topography. The topography of ribosomal proteins on the surface of the 30S subunit of *Escherichia coli*, 1049

Ribosomes. On the nature of antibiotic binding sites in ribosomes, 863 — Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli :* an analysis of three mutants, 885 — An apparent conformational change in tRNA^{Phe} that is associated with the peptidyl transferase reaction, 925 — Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939 — Structural dynamic aspects of protein synthesis on ribosomes, 949 — Relationship between size of mRNA ribosomal binding site and initiation factor function, 957 — Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965 — 5S RNA-protein complexes released by EDTA treatment of 60S ribosomal subunits of *Tetrahymena thermophila*, 975 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013 — Higher-order structure of domain III in *Escherichia coli* 16S ribosomal RNA, 30S subunit and 70S ribosome, 1081

70S ribosomes. Three-dimensional image reconstruction from ordered arrays of 70S ribosomes, 1001

Ribulose 1,5-bisphosphate carboxylase—oxygenase. Ribulose 1,5-bisphosphate carboxylase—oxygenase I. Structural, immunochemical and catalytic properties, 723

Rice embryos. Rice embryos can express heat-shock genes under anoxia, 677

RNA catalysts. Catalysis by a prebiotic nucleotide analog of histidine, 551
RNA footprinting. Interaction between non-formylated initiator Met-tRNA$_f^{Met}$ and the ribosomal A-site from *Escherichia coli*, 871
RNA polymerase II. An activity necessary for *in vitro* transcription is a DNase inhibitor, 1199
mRNA. Relationship between size of mRNA ribosomal binding site and initiation factor function, 957
pSSU-mRNA. Level of messenger RNA encoding small subunit ribulose bisphosphate carboxylase is enhanced by cytokinins in tobacco cell suspension cultures, 671
rRNA interaction. Interaction of ribosomal proteins L25 from yeast and EL23 from *E. coli* with yeast 26S and mouse 28S rRNA, 939 — The primary structure of the ribosomal A-protein (L12) from the halophilic eubacterium *Haloanaerobium praevalens*, 1013
rRNA methylation. On the nature of antibiotic binding sites in ribosomes, 863
rRNA mutations. Thiostrepton resistance mutations in the gene for 23S ribosomal RNA of Halobacteria, 857 — On the nature of antibiotic binding sites in ribosomes, 863
rRNA structure. Probing ribosome structure using short oligodeoxyribonucleotides : the question of resolution, 1071 — Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105
tRNA- and 5S RNA-containing particles. Biochemical research on oogenesis : protein synthesis in whole cells and in cell-free extracts of *Xenopus laevis* immature ovaries, 475 — Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485 — Biochemical research on oogenesis : distribution of tRNA-linked peptides and proteins in previtellogenic oocytes of *Xenopus laevis*, 495
tRNA-linked peptides. Biochemical research on oogenesis : distribution of tRNA-linked peptides and proteins in previtellogenic oocytes of *Xenopus laevis*, 495
tRNA-rRNA. Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105
tRNA conformation. An apparent conformational change in tRNA^{Phe} that is associated with the peptidyl transferase reaction, 925
tRNA conformation change. — Structural dynamic aspects of protein synthesis on ribosomes, 949
tRNA$_f^{Met}$. Interaction between non-formylated initiator Met-tRNA$_f^{Met}$ and the ribosomal A-site from *Escherichia coli*, 871
5S rRNA. 5S RNA-protein complexes released by EDTA treatment of 60S ribosomal subunits of *Tetrahymena thermophila*, 975
16S rRNA. Higher-order structure of domain III in *Escherichia coli* 16S ribosomal RNA, 30S subunit and 70S ribosome, 1081
23S rRNA. Evidence that the G^{2661} region of 23S rRNA is located at the ribosomal binding sites of both elongation factors, 911
Rod cell. The retinal phototransduction process : enzymatic cascade and regulation, 365
Rodent malaria. Histidine-rich protein in rodent malaria, 249

Saccharomyces cerevisiae. Yeast phenylalanyl-tRNA synthetase : evidence for the formation of ADP by phosphorolysis of enzyme-bound aminoacyladenylate, 1175
o-Sarcin. Evidence that the G^{2661} region of 23S rRNA is located at the ribosomal binding sites of both elongation factors, 911
Sarcolemma. Can changes in sarcolemmal membranes account for the altered inotropic responsiveness in hypertrophied heart ?, 419
Schiff's bases. Immunological relevance of malonic dialdehyde I. Preparation of Schiff's bases from lysozyme or polylysine reacted with malonic dialdehyde, 1153
Sea urchin. Evidence for an acidic compartment in sea urchin eggs *(Paracentrotus lividus)* : role at fertilization, 321
Secondary structure. Comparisons of large subunit rRNAs reveal some eukaryote-specific elements of secondary structure, 11
Sequence. Complete nucleotide sequence of bovine α-lactalbumin gene : comparison with its rat counterpart, 609
Site-directed mutagenesis. Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli* : an analysis of three mutants, 885 — A plasmid-coded and site-directed mutation in *Escherichia coli* 23S RNA that confers resistance to erythromycin : implications for the mechanism of action of erythromycin, 891
Skeletal muscle. Involvement of cation transporting systems in myotonic diseases, 407
Small intestine. The effect of thermal injury on the regulation of phosphofructokinase in the mucosa of rat small intestine, 71
Small ribosomal subunit. A three dimensional model of domain III of the *Escherichia coli* small ribosomal subunit, 991
Soil organic matter A stepwise approach to the understanding of extracellular enzyme activity in soil II. Competitive effects on the adsorption of a β-D-glucosidase in mixed mineral or organo—mineral systems, 765
Solubilization. Solubilization, purification and characterization of D-alanine dehydrogenase from *Pseudomonas aeruginosa* and effects of solubilization on its properties, 63 — Lactate dehydrogenase activity in the mitochondrial fraction of chicken liver : enzyme binding and kinetic behavior of soluble and bound enzyme, 205 — Lactate and malate dehydrogenase binding to the microsomal fraction from chicken liver, 1207
Soluble enzyme. Soluble form of acetylcholinesterase from rabbit enterocytes : comparison of its molecular properties with those of the plasma membrane species, 75
Solventogenesis. Effect of pyruvate on glucose metabolism in *Clostridium acetobutylicum*, 1183
Somatostatin. Propranolol and somatostatin interactions with the hyperglycemic effects of glucagon, octopamine, noradrenaline and cAMP in worker honeybees *in vivo*, 655
Sparsomycin. Structure—activity relationships of sparsomycin : modification at the hydroxyl group, 849
Spectinomycin. Spectinomycin resistance at site 1192 in 16S ribosomal RNA of *E. coli* : an analysis of three mutants, 885
Spermidine. Malondialdehyde production from spermine by homogenates of normal and transformed cells, 101
Spermine. Malondialdehyde production from spermine by homogenates of normal and transformed cells, 101
Splenocytes. Glutathione status of rat thymocytes and splenocytes during the early events of their ConA proliferative responses, 37
Standardization. Lipid biodynamics : new perspectives, 177 — Determination of the physicochemical parameters of a lipoprotein class from weight percentage data, 543 —

Determination of physicochemical parameters of liposomes from concentration data, 547

Steroidogenesis. Adrenal adenylate cyclase and steroidogenic activities of 63 day old ovine fetuses : *in vitro* effects of $ACTH_{1-24}$ and forskolin, 629

Structural modification. Structure—activity relationships of sparsomycin : modification at the hydroxyl group, 849

Structure. The structure and dynamics of ribosomal protein L12, 1043

Structures-function relationship. A survey on cytosolic non-enzymic proteins involved in the metabolism of lipophilic compounds : from organic anion binders to new protein families, 1127

Subunit. Comparison of active and inactive forms of the *E. coli* 30S ribosomal subunits, 965

30S subunit immuno electron microscopy. The topography of ribosomal proteins on the surface of the 30S subunit of *Escherichia coli*, 1049

Sugar-nucleotide. Membrane transport of sugar donors to the glycosylation sites, 91

Sunflower. Molecular parameters involved in bee—plant relationships : a biological and chemical approach, 661

Synapse-specific proteins. Coordinate control of synaptic protein expression at the neuromuscular junction, 433

Synchronization. Dinucleoside tetraphosphate variations in cultured tumor cells during their cell cycle and growth, 1217

Teleosts. Biochemical research on oogenesis : protein synthesis by purified 42S particles from *Xenopus laevis* and *Tinca tinca* previtellogenic oocytes, 485

Tertiary structure. A three dimensional model of domain III of the *Escherichia coli* small ribosomal subunit, 991

Tetrahymena thermophila. 5S RNA-protein complexes released by EDTA treatment of 60S ribosomal subunits of *Tetrahymena thermophila*, 975 — Covalent cross-linking of AcVal-tRNA to *Tetrahymena thermophila* cytoplasmic ribosomes and two of its 17S rRNA mutants, 1105

TGEV. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591

Thermal injury. The effect of thermal injury on the regulation of phosphofructokinase in the mucosa of rat small intestine, 71

***Thermus thermophilus* HB8**. An unusual rRNA operon constellation in *Thermus thermophilus* HB8 the 23S/5S rRNA operon is a separate entity from the 16S rRNA operon, 1097

Thiostrepton resistance. Thiostrepton resistance mutations in the gene for 23S ribosomal RNA of Halobacteria, 857

Three-dimensional image reconstruction. Three-dimensional image reconstruction from ordered arrays of 70S ribosomes, 1001

Thymocytes. Glutathione status of rat thymocytes and splenocytes during the early events of their ConA proliferative responses, 37

Tobacco. Use of a transient expression assay for the optimization of direct gene transfer into tobacco mesophyll protoplasts by electroporation, 621

Torpedo. Monoclonal antibodies against acetylcholinesterase from electric organs of *Electrophorus* and *Torpedo*, 147

***in vitro* transcription**. An activity necessary for *in vitro* transcription is a DNase inhibitor, 1199

Transcriptional control. Open reading frames in the control regions of the phenylalanyl-tRNA synthetase operon of *E. coli*, 1065

Transcriptional-transformational coupling. Open reading frames in the control regions of the phenylalanyl-tRNA synthetase operon of *E. coli*, 1065

Transducin. The retinal phototransduction process : enzymatic cascade and regulation, 365

Transduction. G_o, a major brain GTP binding protein in search of a function : purification, immunological and biochemical characteristics, 339

Transformation. Use of a transient expression assay for the optimization of direct gene transfer into tobacco mesophyll protoplasts by electroporation, 621

Translation. Elongating ribosomes *in vivo* are refractory to erythromycin, 901

Translation initiation. Characterization of the *ksgA* gene of *Escherichia coli* determining kasugamycin sensitivity, 841

Translational ambiguity. Protein synthesis in mitochondria from yeast strains carrying *nam* and *mim* suppressor genes, 517

Translational fidelity. Does streptomycin cause an error catastrophe ? 131

Translational initiation. Relationship between size of mRNA ribosomal binding site and initiation factor function, 957

Translocation. Structural dynamic aspects of protein synthesis on ribosomes, 949

Transmissible gastroenteridis. Enteric coronavirus TGEV : partial sequence of the genomic RNA, its organization and expression, 591

Transport. Membrane transport of sugar donors to the glycosylation sites, 91

Triticum. Two-dimensional gel electrophoresis of proteins as a tool in wheat genetics, 781

Trout. Activation of trout adipose tissue lipoprotein lipase by trout apoproteins, 773

Tubulin. Tubulin and high molecular weight microtubule-associated proteins as endogenous substrates for protein carboxymethyltransferase in brain, 1227

Tumor cells. Dinucleoside tetraphosphate variations in cultured tumor cells during their cell cycle and growth, 1217

Type II arabinogalactans. A study of pectic polysaccharides in musts from various mature grapes grown in the Pech Rouge experimental vineyards, 713

Tyrosine aminotransferase. Hepatic tyrosine aminotransferase from the rainbow lizard *Agama agama* : purification and some properties, 223

Tyrosine kinase. Membrane receptors with protein-tyrosine kinase activity, 379

Vasopressin. Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351

Vertebrates. Coexpression and evolution of the two sarcomeric actin genes in vertebrates, 1119

Vitis vinifera. A study of pectic polysaccharides in musts from various mature grapes grown in the Pech Rouge experimental vineyards, 713

Volume chemical unit mol.cm^{-3}. Lipid biodynamics : new perspectives, 177

WRK1 cells. Mechanisms of phospholipase C activation : a comparison with the adenylate cyclase system, 351

Yeast. Sensitivity of yeast cells to reactive oxygen species generated in the extracellular space, 53

Zeas mays L. Albumins and globulins in developing maize grains, 691